

HOSPITALITY BOTTLING SYSTEM

# Niagara CT

Chilled • Ambient • Sparkling • Filtered







### hydrateconsciously!

We're committed to reducing plastic waste

# Niagara CT

Greater efficiency, lower costs, unlimited supply



#### **COLOUR OPTIONS**







Plastic Drip Tray



Stainless Steel Drip Tray

### WATER OPTIONS







Filtered Sparkling



**Ambient** 

### INSTALLATION OPTIONS



Counter-top Unit



Floor-standing Option Available

### **KEY FEATURES**

- · Ambient, chilled and sparkling water options
- Cooled temperature 3°c 10°c
- High capacity counter-top model
- Safety valve prevents leaks
- Allows jug filling
- Warning lights
- Drip tray
- Energy saving stand-by mode
- Optional electronic control panel
- With **PuraFiltration**
- Floor-standing models available

The Niagara is our largest capacity bottling system. This robust, solid and high-performance cooler is ideal for large uses, allowing instant delivery of large quantities of ambient, chilled or sparkling water options. The counter-top unit is ideal for use on bar, café, and restaurant worktops.

#### **DIMENSIONS**

65 model height:	510mm
65 model width:	422mm
65 model depth:	499mm
65 model dispense height:	320mm
120 model height:	510mm
120 model width:	482mm
120 model depth:	499mm
120 model dispense height:	320mm
180 model height:	510mm
180 model width:	532mm
180 model depth:	499mm
180 model dispense height:	320mm

The Niagara is an all-encompassing product, instantly dispensing large amounts of still and sparkling, chilled and ambient water. Simply connect it to the water mains to begin using the complete service.

#### TYPICAL SPECIFICATION

The Niagara's internal taps can dispense water continuously or intermittently as desired.

The "ice bank" with double coil improves the efficiency of simultaneous chilled and sparkling water dispensing. This high performance cooling technology cools considerable quantities of water and enables the dispensing temperature to be kept constant even when continuously dispensing many litres.

The optional CU+ SAFEPATH ensures bacterial immunity for the cooler, providing permanent and constant protection against the formation of biofilms.


The dispenser is equipped with a water pressure reducer, CO2 regulator and the use of AISI 304 stainless steel for the sensitive parts of the casing. The drip tray is designed to facilitate optimal jug positioning and the safety valve prevents leakages caused by accidental faults inside the machine.





### OPTIONAL ELECTRONIC CONTROL

Our electronic control is available on our sparkling models and allows you to customise the water cooler's functions and monitor its use in real time, optimising maintenance.



- Control the temperature of the ice bank
- No water warning light
- Optional bottle guides



# Why choose **PuraServe**?

### within your rental price: Site survey





60 re-usable Pura glass bottles

**Everything you'll need is included** 

- 120 reusable silver bottle caps
- **/** 1 glass washer tray
- 6 monthly PuraFilter changes
- 6 monthly system health check
- 6 monthly full sanitisation
- Full call-out warranty, parts and labour
- Delivery and installation
- Option: personalised glass bottles

### **Enjoy these** additional benefits:

- Cost from just 3p per 750ml bottle serving
- Reduce carbon footprint
- Reduce recycling costs
- Cut single-use, plastic bottled water
- Gain fridge and storeroom space
- Reduce environmental impact of transportation and packaging waste
- Bespoke bottle printing from £9.50+VAT each




#### **OUTPUT OPTIONS**

The Niagara CT is our counter-top water dispensing unit. There are many output options to suit your requirements.

Choose the most suitable output model for you.

Model	Chilled litres/hr	Sparkling litres/hr	Rated Input	Unit dimensions (mm)
<b>65</b> still only	65	65	300 W	W 422 x D 499 x H 510
<b>120</b> still only	120	120	500 W	W 482 x D 499 x H 510
<b>180</b> still only	180	180	800 W	W 532 x D 499 x H 510
<b>65</b> still and sparkling	65	65	500 W	W 422 x D 499 x H 510
<b>120</b> still and sparkling	120	120	800 W	W 482 x D 499 x H 510
180 still and sparkling	180	180	800 W	W 532 x D 499 x H 510

#### **UNIT DIMENSIONS**



	65	120	180
Α	370	370	370
В	422	482	532
С	499	499	499
D	345	345	345
Н	510	510	510

### INSTALLATION REQUIREMENTS

The Niagara65, 120 and 180 require adequate worktop and cupboard space for installation. Please ensure that the following is available where the unit is to be installed:

- Minimum installation worktop space:
   65 model: W 440mm x D 620mm (incorporates drip tray).
   120 model: W 500mm x D 620mm (incorporates drip tray).
   180 model: W 550mm x D 620mm (incorporates drip tray).
- Minimum height clearance requirement: H 530mm.
- A potable mains water supply within 5 metres of unit installation location.
- A 240-volt electric socket within 1 metre of unit location.
- A cylinder of food grade CO<sub>2</sub> gas.

  (Applies to customers choosing a sparkling water option only.)
- Worktops are clear and in a finished state.
- Sufficient ventilation is in place for the refrigerated unit.

  All of the above can be confirmed in your site survey.

#### **AVAILABLE ACCESSORIES**



## Pura Reusable Glass Bottles

Order additional PuraServe glass water bottles for use with your water dispenser.



# Bespoke Printed Glass Bottles

Add your own company logo to our range of reusable glass water bottles. Choice of screw cap colours.



# Glass Bottle Washer Trays

Wash Pura bottles faster with additional 400mm or 500mm commercial glasswasher trays.

