



Part of the **thirstywork** family

HOSPITALITY BOTTLING SYSTEM

# NiagaraNG120 FS

Chilled • Ambient • Sparkling • Filtered



Call **01392 877 172** Email [hello@thirstywork.com](mailto:hello@thirstywork.com) [www.puraserve.co.uk](http://www.puraserve.co.uk)  
**PuraServe** is part of the thirsty work family of companies



**hydrateconsciously!**  
We're committed to reducing plastic waste

# NiagaraNG120 FS

High performance in dispensing and efficiency



## KEY FEATURES

- Ambient, chilled and sparkling water options
- Cooled temperature 3°C - 10°C
- High capacity free-standing model
- Up to 120lph water dispense
- Safety valve prevents leaks
- Allows jug filling
- Warning lights
- Drip tray
- Energy saving stand-by mode
- With **PuraFiltration**
- Counter-top option available

The New Generation Niagara is built for performance, efficiency, and reliability - the perfect professional floor-standing water dispenser for a large amount of users in high traffic areas.

The internal taps are protected to guarantee greater hygiene, dispensing water continuously or intermittently as desired.

This robust, solid and high-performance bottling system is ideal for large uses, allowing instant delivery of large quantities of ambient, chilled or sparkling water options.

## COLOUR OPTIONS



Stainless Steel with Skinplate

## WATER OPTIONS



Chilled



Filtered



Sparkling



Ambient

## INSTALLATION OPTIONS



Floor-standing Unit



Counter-top Option Available

## DIMENSIONS

Height:	1551mm
Width:	485mm
Depth:	558mm
Dispense height:	318mm



**The Niagara is an all-encompassing product, instantly dispensing large amounts of still and sparkling, chilled and ambient water. Simply connect it to the water mains to begin using the complete service.**

#### TYPICAL SPECIFICATION

The Niagara's internal taps can dispense water continuously or intermittently as desired.

The "ice bank" with double coil improves the efficiency of simultaneous chilled and sparkling water dispensing. This high performance cooling technology cools considerable quantities of water and enables the dispensing temperature to be kept constant even when continuously dispensing many litres.

The optional CU+ SAFEPATH ensures bacterial immunity for the cooler, providing permanent and constant protection against the formation of biofilms. The system's efficiency is linked to its design and to the use of special materials that provide continuous and constant bactericidal action throughout the cooler's life with no need for maintenance.

The dispenser is equipped with a water pressure reducer, CO<sub>2</sub> regulator and the use of AISI 304 stainless steel for the sensitive parts of the casing. The drip tray is designed to facilitate optimal jug positioning and the safety valve prevents leakages caused by accidental faults inside the machine.

## Why choose PuraServe?



### Everything you'll need is included within your rental price:

- ✓ Site survey
- ✓ Water dispensing system
- ✓ 60 re-usable Pura glass bottles
- ✓ 120 reusable silver bottle caps
- ✓ 1 glass washer tray
- ✓ 6 monthly PuraFilter changes
- ✓ 6 monthly system health check
- ✓ 6 monthly full sanitisation
- ✓ Full call-out warranty, parts and labour
- ✓ Delivery and installation
- ✓ Option: personalised glass bottles

### Enjoy these additional benefits:


- ✓ Cost from just 3p per 750ml bottle serving
- ✓ Reduce carbon footprint
- ✓ Reduce recycling costs
- ✓ Cut single-use, plastic bottled water
- ✓ Gain fridge and storeroom space
- ✓ Reduce environmental impact of transportation and packaging waste
- ✓ Bespoke bottle printing from £9.50+VAT each

## OUTPUT OPTIONS

The NiagaraNG120 is our floorstanding water dispensing unit.

Model	Chilled litres/hr	Sparkling litres/hr	Rated Input	Unit dimensions (mm)
<b>120</b> still and sparkling	120	120	900 W	W 485 x D 558 x H 1551

## UNIT DIMENSIONS



## INSTALLATION REQUIREMENTS

The NiagaraNG120 requires adequate floor space for installation. Please ensure that the following is available where the unit is to be installed:

- ✓ **Minimum installation floor space: W 495mm x D 708mm.**
- ✓ **Minimum height requirement: H 1571mm.**
- ✓ **A potable mains water supply within 5 metres of unit installation location.**
- ✓ **A 240-volt electric socket within 1 metre of unit location.**
- ✓ **A cylinder of food grade CO<sub>2</sub> gas.**  
**Max cylinder size: W 170mm x D 870mm.**  
(Applies to customers choosing a sparkling water option only.)

All of the above can be confirmed in your site survey.

## AVAILABLE ACCESSORIES




### Pura Reusable Glass Bottles

Order additional PuraServe glass water bottles for use with your water dispenser.



### Bespoke Printed Glass Bottles

Add your own company logo to our range of reusable glass water bottles. Choice of screw cap colours.



### Glass Bottle Washer Trays

Wash Pura bottles faster with additional 400mm or 500mm commercial glasswasher trays.



Part of the **thirstywork** family

Call **01392 877 172** Email [hello@thirstywork.com](mailto:hello@thirstywork.com) [www.puraserve.co.uk](http://www.puraserve.co.uk)

**PuraServe** is part of the thirsty work family of companies