

AquaPointe-R Bottle Filler

Chilled • Filtered



Touch-free, sensor activated dispense

Ambient and chilled model options



Wall Mounted Bottle Filler

Touchless, refrigerated bottle filler



COLOUR OPTIONS



Brushed Stainless Steel

WATER OPTIONS





Chilled Filtered

Not all options are included as standard, please choose at point of order

INSTALLATION OPTIONS



KEY FEATURES

- · Chilled water
- Compact sports bottle filler
- Electronic touch-free activation with shut-off timer
- Enhanced alcove to fit large sports bottles
- Basin is designed to eliminate splashing and standing water.
- Surface wall-mounted
- Heavy duty steel frame
- The bottle counter tracks how many times the unit has been used and promotes refilling of sports bottles
- Energy-efficient LEDs illuminate alcove and aids bottle filling
- Built-in drainage no drip tray to empty
- Simple to replace existing water fountains
- With pura3000 filtration
- Optional puraguard
 Antibacterial and antiviral protection


The AquaPointe-R bottle filler is a robust and simple to operate refrigerated bottle filler with electronic, touch-free activation (infrared sensor). The bottle filler has a shut-off timer, and an integrated bottle counter that displays the number of refills.

It is ideal for busy venues, such as public buildings, gyms and sports complexes, hospitals, schools, and offices.

Puraguard is a ground-breaking protective antimicrobial coating that can be applied to your dispensers taps on request).

DIMENSIONS

Height (refrigerated):	960mm
Width (refrigerated)::	453mm
Depth (refrigerated)::	331mm
Dispense height:	330mm



NOTES:

- I. *DIMENSIONS ARE REFERENCE ONLY.
- 2. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS.

Call **01392 877 172** Email **hello@thirstywork.com www.thirstywork.com**

FULL SPECIFICATION Aquapointe refrigerated surface-mounted bottle filler.

Max power consumption	Refrigerated, contactless: 7W	Power supply: 220-240V, 50/60 Hz
Throughput litres per hour	60L/h	
Cooling performance	Chilled below 10°C	32°C Ambient
Dimensions	453mm (W) x 331mm (D) x 960mm (H)	
Weight	25.4 kg	

AVAILABLE ACCESSORIES



Paper Cups

- 7oz recyclable paper cups
- 7oz biodegradable and compostable paper cups
- 4oz paper cones



Puraguard

 Antibacterial and Antiviral Protection Coating

